GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – Water Resources Department - Disciplinary action initiated under Rule 20 of APCS (CC&A) Rules, 1991 against late Sri D. Kasaiah, the then Assistant Engineer, Irrigation Sub Division, Yerragondapalem on the allegations of irregularities in Neeru-Chettu works i.e. "Construction of check dam across Pedda Kayya vagu near Hasannapuram (V) in Tripuranthakam (M) of Prakasam District (Work No.27) (Annexure-47)" and "Construction of check dam across Gundlakamma Kayya Vagu near Hasannapuram (V) in Tripuranthakam (M) of Prakasam District (Work No.29) (Annexure-49)" - Expired on 09.05.2021 – Further action abated – Orders - Issued.

WATER RESOURCES (VIG-III.2) DEPARTMENT

G.O.Rt.No.2062 Date: 27/10/2022

Read the following:

1. Vigilance Report No:10/(C.No.4916/V&E/Engg/2019, dt: 04.09.2020 of the General Administration (Vigilance & Enforcement) Department, Vijayawada.
2. G.O.Rt.No.1264, Water Resources (VIG-III.2) Department, dt: 12.05.2022.
3. G.O.Rt.No.1269, Water Resources (VIG-III.2) Department, dt: 12.05.2022.
4. From ENC(AW),Lr.No:Rc/ENC/K/AD(V1)/AEE1/NC/PKM/2022,dt:02.06.2022.

*****

ORDER:

Whereas in the reference 1st cited, it was brought to the notice of the Government that certain irregularities were took place in Neeru-Chettu works i.e. "Construction of check dam across Pedda Kayya vagu near Hasannapuram (V) in Tripuranthakam (M) of Prakasam District (Work No.27) (Annexure-47)" and "Construction of check dam across Gundlakamma Kayya Vagu near Hasannapuram (V) in Tripuranthakam (M) of Prakasam District (Work No.29) (Annexure-49)".

2. Whereas in the reference 2nd cited, late Sri D. Kasaiah, the then Assistant Engineer, Irrigation Sub Division, Yerragondapalem has been issued Article of Charges in the work "Construction of check dam across Pedda Kayya vagu near Hasannapuram (V) in Tripuranthakam (M) of Prakasam District (Work No.27) (Annexure-47)" under Rule 20 of APCS (CC&A) Rules, 1991.

3. Whereas in the reference 3rd cited, late Sri D. Kasaiah, the then Assistant Engineer, Irrigation Sub Division, Yerragondapalem has been issued Article of Charges in the work "Construction of check dam across Gundlakamma Kayya Vagu near Hasannapuram (V) in Tripuranthakam (M) of Prakasam District (Work No.29) (Annexure-49)" under Rule 20 of APCS (CC&A) Rules, 1991.

4. Whereas in the reference 4th cited, the Engineer-in-Chief (AW), Water Resources Department, Vijayawada submitted that Sri D. Kasaiah, the then Assistant Engineer, Irrigation Sub Division, Yerragondapalem was expired on 09.05.2021 and requested to abate the charges as the employee was deceased.

5. Government, after careful examination of the matter, abate further action on the charges framed against late Sri D. Kasaiah, the then Assistant Engineer, Irrigation Sub Division, Yerragondapalem, subject to recovery of loss, if any, caused to the Government, under Rule 9(7) (a) of A.P.R.P. Rules, 1980 in the matter.

(P.T.O.)

6. The Engineer-in-Chief (AW), Water Resources Department, Vijayawada shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

Shashi Bhushan Kumar I A S
Principal Secretary To Government

To

Legal heirs of late Sri D. Kasaiah, the then Assistant Engineer, Irrigation Sub Division, Yerragondapalem **through** the Engineer-In-Chief (AW), Vijayawada.

Copy to:

The Engineer-in-Chief (AW), Water Resources Department, A.P., Vijayawada with a request to submit the dated acknowledgement of the individual to the Government without any delay.

The General Administration (Vigilance & Enforcement) Department, Vijayawada.

The Accountant General, A.P., Vijayawada.

The Secretary to VC, APVC, Vijayawada.

//FORWARDED::BY ORDER//

SECTION OFFICER